Powerful weather radar performance with SSPA eBook






Technology advancements

Tube technology has been the go-to for transmitters in weather radar systems such as magnetron, klystron and traveling wave tubes. All of them require high voltages and peak power, resulting in large and complex transmitter systems.


Solid state technology as a power amplifier is not new: Telecommunication, microwave links, military radar and others have used it for years. However, high-power components at high frequencies simply have not been available at reasonable prices, keeping them out of reach for weather radar.

Fortunately, advancements in GaN transistor technology have expanded the power and frequency range of semiconductors, and cost-effective GaN components are now available. In addition, GaN transistors on silicon carbide (SiC) substrate can now achieve high power densities.



Semiconductors for microwave frequencies

Traditional semiconductor technologies such as silicon or gallium arsenide technologies cannot produce the high peak powers required to provide proper sensitivity from the weather radar system. GaN/SiC components are now available for weather radar frequencies, including X-band and C-band.



Transmitter redundancy

A single component failure will not stop weather radar operation. There are separate transmitters for horizontal and vertical channels in a dual-polarization weather radar, producing horizontal and vertical transmitted pulses for system redundancy. Each transmitter contains several amplifier modules parallel to each other, producing pulse power. Each module contains several parallel GaN transistors in the final amplification phase of the signal, for yet another level of redundancy in case one of the transistors fails.

Reliability

SSPA has key advantages over tube technology that increase reliability.

Solid state power amplifiers

- Uses GaN transistors with MTBF of more than 1,000,000 hour lifespan
- No consumable components
- Built-in redundancies
- Continuous calibration for high data quality
- · Lower maintenance and lifetime costs

Magnetron or klystron tubes

- Up to 50,000 hour lifespan
- · Consumable components replaced every few years
- · Component failure can stop data collection
- Higher lifetime costs and maintenance requirements


Maintenance

Maintenance is an important factor in weather radar, and solid state power amplifiers are designed to last for the lifetime of the system. Tube-based designs including consumable parts with limited lifespans, oil tanks, X-ray radiation and others raise maintenance costs and make safety precautions necessary.

Low maintenance with SSPA

- No consumables, oil tank or X-ray radiation
- Better environmental sustainability
- Fewer site visits and expenses
- Automatic calibration for continuous data availability





Peak power

SSPA uses a much lower peak power than tube technology, which improves the reliability of a weather radar system. To maximize measurement sensitivity, Vaisala uses long pulses with pulse compression.

Lower peak power enables simpler, cost-effective weather radar design with several benefits:

- Less stress to the sensitive receiver front end during the transmit pulse
- Enables the use of semiconductor limiters without radioactive discharge tube technology
- Easier and more reliable design of waveguide parts without a risk of arcing
- Less interference for other radiofrequency devices

Cost efficiency

SSPA enables more efficient weather radar design with better performance. For example, it is possible to install the transmitter and receiver behind the antenna.

Some components are not needed such as expensive waveguide rotary joints and site-specific long waveguides. TR limiters are easier to design, have better reliability, and no radioactive or consumable parts.

Solid state transmitters are widely available in X-band weather radar, and increasingly for C-band. Because of its obvious advantages, SSPA will eventually become the standard for weather radar.


Cost efficiency across the board

- Weather radar design
- Delivery, installation and site preparation
- Maintenance
- Lifecycle costs



Vaisala weather radar shown with transmitter and receiver installed behind the antenna.

Pulse compression and modulation



Range ambiguity plot

This diagram shows the ambiguity plot of a compressed pulse after the compression. This 44 microsecond pulse from a Vaisala X-band weather radar has been compressed to a half-microsecond. The 75-meter range resolution is equal to a half-microsecond pulse in a traditional tube transmitter. Note the low side slopes: From the actual measured bin to the next bin, the attenuation is more than 60 DB.

Proper signal processing algorithms are important for SSPA to maximize the weather radar design benefits. Peak power is lower, and in order to get the same average power and sensitivity, the radar must transmit longer pulses. A long pulse on its own results in poor range solution, but using well-known pulse compression methods maintains resolution.

The pulse compression technique achieves the same resolution from the weather area as traditional tube transmitters, while retaining the sensitivity from the long pulse.

Hybrid pulsing is also utilized, which combines sending long and short pulses to provide a full range of measurements without data gaps.

Run-time calibration allows you to take full advantage of the power amplifier with solid state redundant modules.

Why Vaisala?

As the global leader in weather and environmental measurements, Vaisala provides trusted weather observations for a sustainable future. With over 85 years of experience and customers in 170+ countries, from the North and South Poles to Mars, we help provide the most reliable and accurate weather and climate information for better and safer daily lives.

Our instruments and intelligence are known as the gold standard for precision and reliability. As a sustainability leader we enable meteorology professionals to better understand, forecast and explain climate change. We continue to channel our curiosity into climate action and new ways of enabling a better planet for all.

